Electroencephalography and clinical Neurophysiology, 83 (1992) 407–409
© 1992 Elsevier Scientific Publishers Ireland, Ltd. 0013-4649/92/$05.00

Index of Authors

VOLUME 83 (1992)

(Authors from abstracts from Society Proceedings are not included)

Aichner, F., see Kofler, M. (83) 83
Alho, K., see Ritter, W. (83) 306
Arezzo, J.C., see Javitt, D.C. (83) 87
Arroyo, S., see Krauss, G.L. (83) 333

Bartussek, D., see Naumann, E. (83) 254
Baumann, S.B., see Rogers, R.L. (83) 146
Baumgartner, H., see Kofler, M. (83) 83
Bazzano, S., see Onofrj, M. (83) 52
Becker, J., see Marosi, E. (83) 350
Bell, G.B., Marino, A.A. and Chesson, A.L.
Alterations in brain electrical activity caused by magnetic fields: detecting the detection process (83) 389
Berek, K., see Kofler, M. (83) 83
Bernal, J., see Marosi, E. (83) 350
Besser, R., Hornung, K., Theisohn, M., Rothacher, G. and Krämer, G.
EEG changes in patients during the introduction of carbamazepine (83) 19
Besset, A., see Tafti, M. (83) 339
Billiard, M., see Tafti, M. (83) 339
Buser, P., see Chatila, M. (83) 217

Caekebeke, J.F.V., see Van Dijk, J.G. (83) 44
Challamel, M.J., see Louis, J. (83) 289
Chatel, M., see Thomas, P. (83) 223
Chatila, M., Milleret, C., Buser, P. and Rougeul, A.
A 10 Hz "alpha-like" rhythm in the visual cortex of the waking cat (83) 217
Chesson, A.L., see Bell, G.B. (83) 389
Christen, H.-J., see Waltz, S. (83) 138
Colamartino, P., see Onofrj, M. (83) 52
Colding-Jørgensen, E., Lauritzen, M., Johnsen, N.J., Mikkelsen, K.B. and Særmark, K.
On the evidence of auditory evoked magnetic fields as an objective measure of tinnitus (83) 322
Corsi-Cabrera, M., Juárez, J., Ponce-de-León, M., Ramos, J. and Velázquez, P.N.
EEG activity during estral cycle in the rat (83) 265
Cotsonis, G.A., see Epstein, C.M. (83) 367
Curatola, L., see Onofrj, M. (83) 52

Darcourt, J., see Thomas, P. (83) 223
Davidson, R.J., see Sobotka, S.S. (83) 236
Debilly, G., see Louis, J. (83) 289
Deecke, L., see Morgan, J.M. (83) 378
Deitch, Jr., R.D., see Reddy, R.V. (83) 162
Díaz de León, A.E., see Marosi, E. (83) 350
Diedrich, O., see Naumann, E. (83) 254
Dierdorf, S.F., see Reddy, R.V. (83) 162
Doller, H.J., see Hostetler, W.E. (83) 1
Doose, H., see Waltz, S. (83) 138

Eisenberg, H.M., see Rogers, R.L. (83) 146
Elger, C.E., see Kurthen, M. (83) 70

Epstein, C.M., Riether, A.M., Henderson, R.M. and Cotsonis, G.A.
EEG in liver transplantation: visual and computerized analysis (83) 367
Evans, B.M.
Periodic activity in cerebral arousal mechanisms — the relationship to sleep and brain damage (83) 130
Evdokimidis, I., Mergner, T. and Lücking, C.H.
Dependence of presaccadic cortical potentials on the type of saccadic eye movement (83) 179

Faught, E., Kuzniecky, R.I. and Hurst, D.C.
Ictal EEG wave forms from epidural electrodes predictive of seizure control after temporal lobectomy (83) 229
Fernández, T., see Marosi, E. (83) 350
Ferracci, F., see Onofrj, M. (83) 52
Fisher, R.S., see Krauss, G.L. (83) 333
Fulgente, T., see Onofrj, M. (83) 52

Gabor, A.J. and Seyal, M.
Automated interictal EEG spike detection using artificial neural networks (83) 271
Gotman, J. and Wang, L.-Y.
State dependent spike detection: validation (83) 12

Hari, R., see Karhu, J. (83) 192
Harmony, T., see Marosi, E. (83) 350
Hattori, Y., see Moriwaki, A. (83) 281
Hayashi, Y., see Moriwaki, A. (83) 281
Hefner, G., see Kurthen, M. (83) 70
Henderson, R.M., see Epstein, C.M. (83) 367
Homan, R.W., see Hostetler, W.E. (83) 1
Hori, Y., see Moriwaki, A. (83) 281
Hornung, K., see Besser, R. (83) 19
Hostetler, W.E., Doller, H.J. and Homan, R.W.
Assessment of a computer program to detect epileptiform spikes (83) 1
Huber, C., see Naumann, E. (83) 254
Hufnagel, A., see Kurthen, M. (83) 70
Hummel, T., see Livermore, A. (83) 201
Hurst, D.C., see Faught, E. (83) 229
Huttunen, J., see Karhu, J. (83) 192

Iida, H., see Kano, K. (83) 124
Inouye, T., see Shinosaki, K. (83) 372

Javitt, D.C., Schroeder, C.E., Steinschneider, M., Arezzo, J.C. and Vaughan, Jr., H.G.
Demonstration of mismatch negativity in the monkey (83) 87
Jennekens-Schinkel, A., see Van Dijk, J.G. (83) 44
Johnsen, N.J., see Colding-Jørgensen, E. (83) 322
Juárez, J., see Corsi-Cabrera, M. (83) 265
Jung, R., see Niemann, J. (83) 297

Kano, K., Nakamura, M., Matsuoka, T., Iida, H. and Nakajima, T.
The topographical features of EEGs in patients with affective disorders (83) 124

Karhu, J., Hari, R., Mäkelä, J.P., Huttunen, J. and Knuutila, J.
Cortical somatosensory magnetic responses in multiple sclerosis (83) 192
Katayama, J. and Yagi, A.
Negative brain potentials elicited by an unexpected color patch or word (83) 248
Kim, J., see Spencer, S.S. (83) 104
Knuutila, J., see Karhu, J. (83) 192
Kobal, G., see Livermore, A. (83) 201
Kobayashi, K., Ohtsuka, Y., Oka, E. and Ohtahara, S.
Primary and secondary bilateral synchrony in epilepsy: differentiation by estimation of interhemispheric small time differences during short spike-wave activity (83) 93
Kofler, M., Saltuari, L., Schmutzhard, E., Berek, K., Baumgartner, H., Russegger, L. and Aichner, F.
Electrophysiological findings in a case of severe intrathecal baclofen overdose (83) 83
Krämer, G., see Besser, R. (83) 19
Kramer, R.E., see Salinsky, M.C. (83) 358
Krauss, G.L., Lesser, R.P., Fisher, R.S. and Arroyo, S.
Anterior "cheek" electrodes are comparable to sphenoidal electrodes for the identification of ictal activity (83) 333
Kurthen, M., Lukas, M., Hufnagel, A., Linke, D.B., Hefner, G., Elger, C.E. and Schramm, J.
Correlations between verbal memory performance and electrocorticographically determined suppression of electrical brain activity in intracarotid amobarbital tests (83) 70
Kuzniecky, R.I., see Faught, E. (83) 229

Lang, W., see Morgan, J.M. (83) 378
Larsen, L.H., Prinz, P.N. and Moe, K.E.
Quantitative analysis of the EEG during tonic REM sleep — methodology (83) 24
Larsen, L.H., see Prinz, P.N. (83) 36
Lauritzen, M., see Colding-Jørgensen, E. (83) 322
Lavikainen, J., see Ritter, W. (83) 306
Lesser, R.P., see Krauss, G.L. (83) 333
Lindinger, G., see Morgan, J.M. (83) 378
Linke, D.B., see Kurthen, M. (83) 70
Livermore, A., Hummel, T. and Kobal, G.
Chemosensory event-related potentials in the investigation of interactions between the olfactory and the somatosensory (trigeminal) systems (83) 201
Louis, J., Zhang, J.X., Revol, M., Debilly, G. and Challamel, M.J.
Ontogenesis of nocturnal organization of sleep spindles: a longitudinal study during the first 6 months of life (83) 289
Lücking, C.H., see Evdokimidis, I. (83) 179
Lukas, M., see Kurthen, M. (83) 70

Maier, S., see Naumann, E. (83) 254
Mäkelä, J.P., see Karhu, J. (83) 192
Malatesta, G., see Onofrj, M. (83) 52
Marino, A.A., see Bell, G.B. (83) 389
Marosi, E., Harmony, T., Sánchez, L., Becker, J., Bernal, J., Reyes, A., Díaz de León, A.E., Rodríguez, M. and Fernández, T.
Maturation of the coherence of EEG activity in normal and learning-disabled children (83) 350
Martin, W.H., see Pratt, H. (83) 153
Matsuoka, T., see Kano, K. (83) 124
Mattice, T., see Reddy, R.V. (83) 162
Mergner, T., see Evdokimidis, I. (83) 179
Migneco, O., see Thomas, P. (83) 223
Mikkelsen, K.B., see Colding-Jørgensen, E. (83) 322
Milleret, C., see Chatila, M. (83) 217
Moe, K.E., see Larsen, L.H. (83) 24
Moe, K.E., see Prinz, P.N. (83) 36
Moorthy, S.S., see Reddy, R.V. (83) 162
Morehead, L., see Salinsky, M.C. (83) 358
Morgan, J.M., Wenzl, M., Lang, W., Lindinger, G. and Deecke, L.
Frontocentral DC-potential shifts predicting behavior with or without a motor task (83) 378
Moriwaki, A., Hattori, Y., Hayashi, Y. and Hori, Y.
Development of epileptic activity induced by iron injection into rat cerebral cortex: electrographic and behavioral characteristics (83) 281

Näätänen, R., see Ritter, W. (83) 306
Nakajima, T., see Kano, K. (83) 124
Nakamura, M., see Kano, K. (83) 124
Naumann, E., Huber, C., Maier, S., Plihal, W., Wustmans, A., Diedrich, O. and Bartussek, D.
The scalp topography of P300 in the visual and auditory modalities: a comparison of three normalization methods and the control of statistical type II error (83) 254
Niemann, J., Winker, T. and Jung, R.
Changes in cortical negative DC shifts due to different motor task conditions (83) 297

Ohtahara, S., see Kobayashi, K. (83) 93
Ohtsuka, Y., see Kobayashi, K. (83) 93
Oka, E., see Kobayashi, K. (83) 93
Oken, B.S., see Salinsky, M.C. (83) 358
Onofrj, M., Curatola, L., Malatesta, G., Colamartino, P., Bazzano, S., Fulgente, T. and Ferracci, F.
Delayed P3 event-related potentials (ERPs) in thalamic hemorrhage (83) 52

Paavilainen, P., see Ritter, W. (83) 306
Papanicolaou, A.C., see Rogers, R.L. (83) 146
Pfurtscheller, G.
Event-related synchronization (ERS): an electrophysiological correlate of cortical areas at rest (83) 62
Plihal, W., see Naumann, E. (83) 254
Ponce-de-León, M., see Corsi-Cabrera, M. (83) 265
Pöppl, S.J., see Schmid, R.G. (83) 112
Pratt, H., Martin, W.H. and Schwegler, J.W.
Contralateral effects of cerebello-pontine angle exposure on human auditory brain-stem evoked potentials (83) 153
Prinz, P.N., Larsen, L.H., Moe, K.E. and Vitiello, M.V.
EEG markers of early Alzheimer's disease in computer selected tonic REM sleep (83) 36
Prinz, P.N., see Larsen, L.H. (83) 24

Ramos, J., see Corsi-Cabrera, M. (83) 265
Rappelsberger, P., see Schmid, R.G. (83) 112
Reddy, R.V., Moorthy, S.S., Mattice, T., Dierdorf, S.F. and Deitch, Jr., R.D.
An electroencephalographic comparison of effects of propofol and methohexital (83) 162
Reinikainen, K., see Ritter, W. (83) 306
Revol, M., see Louis, J. (83) 289
Reyes, A., see Marosi, E. (83) 350
Riether, A.M., see Epstein, C.M. (83) 367
Ritter, W., Paavilainen, P., Lavikainen, J., Reinikainen, K., Alho, K., Sams, M. and Näätänen, R.
Event-related potentials to repetition and change of auditory stimuli (83) 306
Rodríguez, M., see Marosi, E. (83) 350
Rogers, R.L., Papanicolaou, A.C., Baumann, S.B. and Eisenberg, H.M.
Late magnetic fields and positive evoked potentials following infrequent and unpredictable omissions of visual stimuli (83) 146
Rondouin, G., see Tafti, M. (83) 339
Rothacher, G., see Besser, R. (83) 19

Rougeul, A., see Chatila, M. (83) 217
Rudell, A.P.
Rapid stream stimulation and the recognition potential (83) 77
Russegger, L., see Kofler, M. (83) 83

Særmark, K., see Colding-Jørgensen, E. (83) 322
Salinsky, M.C., Oken, B.S., Kramer, R.E. and Morehead, L.
A comparison of quantitative EEG frequency analysis and conventional EEG in patients with focal brain lesions (83) 358
Saltuari, L., see Kofler, M. (83) 83
Sams, M., see Ritter, W. (83) 306
Sánchez, L., see Marosi, E. (83) 350
Sandman, C.A., see Van der Wal, E.A. (83) 211
Schmid, R.G., Tirsch, W.S., Rappelsberger, P., Weinmann, H.-M. and Pöppl, S.J.
Comparative coherence studies in healthy volunteers and Down's syndrome patients from childhood to adult age (83) 112
Schmutzhard, E., see Kofler, M. (83) 83
Schramm, J., see Kurthen, M. (83) 70
Schroeder, C.E., see Javitt, D.C. (83) 87
Schwegler, J.W., see Pratt, H. (83) 153
Senulis, J.A., see Sobotka, S.S. (83) 236
Seyal, M., see Gabor, A.J. (83) 271
Shinosaki, K., Inouye, T., Ukai, S. and Toi, S.
Half-field sinusoidally modulated light stimulation at subject's alpha frequency (83) 372
Sobotka, S.S., Davidson, R.J. and Senulis, J.A.
Anterior brain electrical asymmetries in response to reward and punishment (83) 236
Spencer, D.D., see Spencer, S.S. (83) 104
Spencer, S.S., Kim, J. and Spencer, D.D.
Ictal spikes: a marker of specific hippocampal cell loss (83) 104
Steinschneider, M., see Javitt, D.C. (83) 87

Tafti, M., Rondouin, G., Besset, A. and Billiard, M.
Sleep deprivation in narcoleptic subjects: effect on sleep stages and EEG power density (83) 339
Takigawa, M., see Wang, G. (83) 398
Theisohn, M., see Besser, R. (83) 19
Thomas, P., Migneco, O., Darcourt, J. and Chatel, M.
Single photon emission computed tomography study of subclinical rhythmic electrographic discharge in adults (83) 223
Tirsch, W.S., see Schmid, R.G. (83) 112
Toi, S., see Shinosaki, K. (83) 372

Ukai, S., see Shinosaki, K. (83) 372

Van der Wal, E.A. and Sandman, C.A.
Evidence for terminal decline in the event-related potential of the brain (83) 211
Van Dijk, J.G., Caekebeke, J.F.V., Jennekens-Schinkel, A. and Zwinderman, A.H.
Background EEG reactivity in auditory event-related potentials (83) 44
Vaughan, Jr., H.G., see Javitt, D.C. (83) 87
Velázquez, P.N., see Corsi-Cabrera, M. (83) 265
Vitiello, M.V., see Prinz, P.N. (83) 36

Waltz, S., Christen, H.-J. and Doose, H.
The different patterns of the photoparoxysmal response — a genetic study (83) 138
Wang, G. and Takigawa, M.
Development of data reconstruction system of paper-recorded EEG: method and its evaluation (83) 398
Wang, L.-Y., see Gotman, J. (83) 12
Weinmann, H.-M., see Schmid, R.G. (83) 112
Wenzl, M., see Morgan, J.M. (83) 378
Winker, T., see Niemann, J. (83) 297
Wustmans, A., see Naumann, E. (83) 254

Yagi, A., see Katayama, J. (83) 248

Zhang, J.X., see Louis, J. (83) 289
Zwinderman, A.H., see Van Dijk, J.G. (83) 44

Electroencephalography and clinical Neurophysiology, 83 (1992) 410–413
© 1992 Elsevier Scientific Publishers Ireland, Ltd. 0013-4649/92/$05.00

Index of Subjects

VOLUME 83, 1992

(Abstracts from Society Proceedings are not included)

Affective disorders and EEG topography, 124
Age
– terminal decline in the ERP of the brain, 211
Alpha rhythm
– "alpha-like" rhythm in cat, 217
– background EEG reactivity in auditory ERPs, 44
– early Alzheimer's disease in tonic REM sleep, 36
– EEG topography in affective disorders, 124
– event-related desynchronization, 62
– interhemispheric response of alpha activity, 372
Alzheimer's disease
– early Alzheimer's disease in tonic REM sleep, 36
– qEEG during tonic REM sleep, 24
Amobarbital test and ECoG and memory, 70
Anesthesia
– EEG effects of propofol and methohexital, 162
Arousal mechanisms and periodic activity, 130
Asymmetries of brain electrical during emotional behavior, 236
Auditory mismatch negativity in the monkey, 87
Auditory evoked fields and tinnitus, 322
Auditory evoked potentials
– to repetition and change of auditory stimuli, 306
Automated analysis
– early Alzheimer's disease in tonic REM sleep, 36
– interictal spike detection by neural networks, 271
– spike detection, 1, 12
Autonomic nervous system
– periodic activity in cerebral arousal mechanisms, 130
Autoregressive model
– bilateral synchrony in epilepsy, 93

Baclofen
– severe intrathecal baclofen overdose, 83
BAEPs, *see* Brain-stem auditory evoked potentials
Behavioral consequences of DC potential shifts, 378
Beta rhythms
– background EEG reactivity in auditory ERPs, 44
– early Alzheimer's disease in tonic REM sleep, 36
– qEEG during tonic REM sleep, 24
Bilateral synchrony in epilepsy, 93
Book reviews, 91, 175, 328, 402
Brain damage
– EEG in patients with focal brain lesions, 358
– periodic activity in cerebral arousal mechanisms, 130
Brain death
– terminal decline in the ERP of the brain, 211
Brain development
– EEG in learning-disabled children, 350
Brain-stem auditory evoked potentials
– cerebello-pontine angle exposure, 153
– severe intrathecal baclofen overdose, 83
Burst suppression
– ECoG and memory in amobarbital tests, 70

Carbamazepine effects on EEG, 19
Cat "alpha-like" rhythm, 217
Cell loss
– ictal spikes and hippocampal cell loss, 104
Cerebello-pontine angle exposure and BAEPs, 153
Cerebral lesions, *see* Lesions
Cerebrovascular disease
– delayed P3 in thalamic hemorrhage, 52
– subclinical rhythmic electrographic discharge, 223
Chemosensory evoked potentials
– olfactory and somatosensory system interaction, 201
– perception of chemical stimuli, 201
Children, *see* Infants
Cognitive deficit
– terminal decline in the ERP of the brain, 211
Cognitive processes
– mismatch negativity in the monkey, 87
Coherence analysis
– bilateral synchrony in epilepsy, 93
– in Down's syndrome and healthy subjects, 112
– in learning-disabled children, 350
– spline computation of scalp current density, 171, 172
Color
– N400 to color patch or word, 248
Complex partial seizures, 229
Computerization of paper-recorded EEG, 398
Computed EEG topography, *see* Topographic mapping
Contingent negative variation
– behavioral consequences of DC potential shifts, 378
– electrical asymmetries during emotional behavior, 236
Convulsion threshold
– iron-induced epilepsy in rat, 281
Current density spline computation, 171, 172
Current dipole
– tinnitus and auditory evoked magnetic fields, 322

Data processing
– computerization of paper-recorded EEG, 398
– *see also* Spectral analysis
DC potential shifts
– behavioral consequences, 378
– during motor performance, 297
Depth recording
– ictal spikes and hippocampal cell loss, 104
Development
– EEG in learning-disabled children, 350
– nocturnal sleep spindle ontogenesis, 289
Diagnosis of early Alzheimer's disease, 36
Down's syndrome and EEG coherence, 112

EcoG
– and memory in amobarbital tests, 70
– iron-induced epilepsy in rat, 281
EEG
– alterations caused by magnetic fields, 389
– and photoparoxysmal response, 138
– automated spike detection, 1
– background EEG reactivity in auditory ERPs, 44
– bilateral synchrony in epilepsy, 93
– cheek electrodes for identification of ictal activity, 333
– computerization of paper-recorded EEG, 398
– during carbamazepine treatment, 19
– during emotional behavior, 236
– during estral cycle in rat, 265
– during tonic REM sleep, 24, 36
– effects of propofol and methohexital, 162
– epidural EEG wave forms, 229
– event-related desynchronization, 62
– ictal spikes and hippocampal cell loss, 104
– in affective disorders, 124
– in Down's syndrome, 112
– in early Alzheimer's disease, 36
– in learning-disabled children, 350
– in liver transplantation, 367
– in patients with focal brain lesions, 358
– interhemispheric response of alpha activity, 372
– interictal spike detection by neural networks, 271
– SPECT in subclinical rhythmic electrographic discharge, 223
– state-dependent spike detection, 12
Electrical potential
– relationships between sources from MEFs and EPs, 146
Electrode for identification of ictal activity, 333
Electrode placement and epidural EEG wave forms, 229
Emission computerized tomography
– in subclinical rhythmic electrographic discharge, 223
Emotional behavior and brain electrical asymmetries, 236
Epidural EEG wave forms, 229
Epilepsy
– automated spike detection, 1
– cheek electrodes for identification of ictal activity, 333
– ECoG and memory in amobarbital tests, 70
– epidural EEG wave forms, 229
– ictal spikes and hippocampal cell loss, 104
– interhemispheric time differences in spike-waves, 169, 170
– interictal spike detection by neural networks, 271
– iron-induced epilepsy in rat, 281
– photoparoxysmal response. A genetic study, 138
– primary and secondary bilateral synchrony, 93
– state-dependent spike detection, 12
Estral cycle and EEG activity in rat, 265
Event-related potentials
– and background EEG reactivity, 44
– behavioral consequences of DC potential shifts, 378
– in thalamic hemorrhage, 52
– mismatch negativity in the monkey, 87
– N400 to color patch or word, 248
– P3 in the visual and auditory modalities, 254
– terminal decline in the ERP of the brain, 211
– to repetition and change of auditory stimuli, 306
Event-related synchronization, 62
Evoked fields in multiple sclerosis, 192
Evoked potentials
– BAEPs, *see* Brain-stem auditory evoked potentials
– corrigenda, 270
– relationships between sources from MEFs and EPs, 146
– severe intrathecal baclofen overdose, 83
– somatosensory, *see* Somatosensory evoked potentials
– the recognition potential, 77
Eye movement
– presaccadic potential and saccade type, 179

Females
– EEG activity during estral cycle in rat, 265
Filtering
– interhemispheric response of alpha activity, 372
Focal brain lesions and EEG, 358
Frequency analysis
– during carbamazepine treatment, 19
– in patients with focal brain lesions, 358
Frontal cortex
– behavioral consequences of DC potential shifts, 378

Genetic study of photoparoxysmal response, 138

Half-field stimulation
– interhemispheric response of alpha activity, 372
Hand preference and cortical negative DC shifts, 297
Hemispherical lateralization
– EEG topography in affective disorders, 124
– interhemispheric response of alpha activity, 372
Hemorrhage
– delayed P3 in thalamic hemorrhage, 52
Hepatic diseases
– EEG in liver transplantation, 367
Hippocampal cell loss and ictal spikes, 104

Ictal EEG
– and hippocampal cell loss, 104
– electrode for identification of ictal activity, 333
Ideographs
– the recognition potential, 77
Image scanner
– computerization of paper-recorded EEG, 398
Infants
– EEG in learning-disabled children, 350
– nocturnal sleep spindle ontogenesis, 289
Interhemispheric
– bilateral synchrony in epilepsy, 93
– time differences in spike-waves, 169, 170
Interhemispheric coherence
– in Down's syndrome and healthy subjects, 112
Intoxication
– severe intrathecal baclofen overdose, 83
Intraoperative monitoring
– cerebello-pontine angle exposure and BAEPs, 153
– EEG effects of propofol and methohexital, 162
Intrathecal baclofen overdose, 83
Ion resonance
– EEG alterations caused by magnetic fields, 389
Iron-induced epilepsy in rat, 281

Learning-disabled children, 350
Lesions
– EEG in patients with focal brain lesions, 358
Lissajous' trajectories
– cerebello-pontine angle exposure and BAEPs, 153
Liver transplantation and EEG, 367
Lobectomy
– epidural EEG wave forms, 229

Magnetic field
– EEG alterations caused by magnetic fields, 389
– relationships between sources from MEFs and EPs, 146

Magnetoencephalogram
– in multiple sclerosis, 192
– in tinnitus, 322
Mapping, *see* Topographic mapping
Maturation
– EEG in learning-disabled children, 350
Median nerve SEFs in multiple sclerosis, 192
Memory
– behavioral consequences of DC potential shifts, 378
– in amobarbital tests, 70
Methohexital EEG effects, 162
Mismatch negativity
– in the monkey, 87
– repetition and change of auditory stimuli, 306
Modality
– P3 in the visual and auditory modalities, 254
Model
– interictal spike detection by neural networks, 271
Monitoring
– automated spike detection, 1
– state-dependent spike detection, 12
Monkey mismatch negativity, 87
Movement
– behavioral consequences of DC potential shifts, 378
– cortical negative DC shifts, 297
Multiple sclerosis and SEFs, 192
Mu rhythm in cat, 217
Muscle activity and cortical negative DC shifts, 297

Narcolepsy and sleep deprivation, 339
Negative DC shifts during motor performance, 297
Neural network and detection of interictal spike, 271
Neurological disorders
– delayed P3 in thalamic hemorrhage, 52
– EEG during carbamazepine treatment, 19
– periodic activity in cerebral arousal mechanisms, 130
Normal human subjects
– background EEG reactivity in auditory ERPs, 44
– behavioral consequences of DC potential shifts, 378
– EEG alterations caused by magnetic fields, 389
– EEG coherence, 112
– electrical asymmetries during emotional behavior, 236
– ERPs to repetition and change of auditory stimuli, 306
– interhemispheric response of alpha activity, 372
– negative DC shifts during motor performance, 297
– N400 to color patch or word, 248
– presaccadic potential and saccade type, 179
– P3 in the visual and auditory modalities, 254
– the recognition potential, 77
Normalization
– P3 in the visual and auditory modalities, 254
N2
– repetition and change of auditory stimuli, 306
– the recognition potential, 77
N400 to color patch or word, 248

Oddball paradigm
– mismatch negativity in the monkey, 87
Olfaction
– interaction with the somatosensory system, 201
– perception of chemical stimuli, 201
Ontogenesis
– nocturnal sleep spindle ontogenesis, 289

Periodic activity in cerebral arousal mechanisms, 130
Photoparoxysmal response. A genetic study, 138
Physical stimulus
– N400 to color patch or word, 248
Power spectral analysis
– EEG alterations caused by magnetic fields, 389
Premotor potential
– presaccadic potential and saccade type, 179
Preparation to movement
– behavioral consequences of DC potential shifts, 378
Process S
– sleep deprivation in narcoleptic subjects, 339
Prognosis
– EEG in liver transplantation, 367
Propofol EEG effects, 162
P3
– in thalamic hemorrhage, 52
– in the visual and auditory modalities, 254
– repetition and change of auditory stimuli, 306
– the recognition potential, 77
P300 in the monkey, 87
Pz
– relationships between sources from MEFs and EPs, 146

Quantitative EEG
– during tonic REM sleep, 24
– in liver transplantation, 367
– in patients with focal brain lesions, 358

Rat
– EEG activity during estral cycle, 265
– iron-induced epilepsy, 281
Reaction time
– background EEG reactivity in auditory ERPs, 44
Recognition potential, 77
Reward and brain electrical asymmetries, 236

Saccade type and presaccadic potential, 179
Signal processing
– automated spike detection, 1
– early Alzheimer's disease in tonic REM sleep, 36
– interhemispheric time differences in spike-waves, 169, 170
– spline computation of scalp current density, 171, 172
– state-dependent spike detection, 12
Signal/noise
– cerebello-pontine angle exposure and BAEPs, 153
Significance probability mapping
– EEG topography in affective disorders, 124
Simulation
– interictal spike detection by neural networks, 271
Sine wave grating
– interhemispheric response of alpha activity, 372
Single photoemission computed tomography study of SREDA, 223
Single trial EEG data
– background EEG reactivity in auditory ERPs, 44
Sleep
– event-related desynchronization, 62
– in early Alzheimer's disease, 36
– nocturnal sleep spindle ontogenesis, 289
– periodic activity, 130
– sleep deprivation in narcoleptic subjects, 339
– tonic REM sleep, 24, 36
Slow waves
– behavioral consequences of DC potential shifts, 378
Society proceedings
– American, Philadelphia, December 1991, 63P
– American, Salt Lake City, February 1992, 11P
– Belgian, Bruges, November 1991, 1P
– Eastern Association, Val David, February 1992, 16P

– French, Montpellier, May 1991, 55P
– German, Bonn, October 1990, 90P
– Israelian, Jerusalem, November 1991, 5P
– Italian, Ascoli Piceno, June 1991, 20P
– Japanese, Matsumoto, November 1991, 46P
– Swedish, Stockholm, November 1991, 3P
Somatosensory cortex and multiple sclerosis, 192
Somatosensory evoked potentials
– interaction with the olfactory system, 201
– iron-induced epilepsy in rat, 281
– perception of chemical stimuli, 201
Source
– relationships between sources from MEFs and EPs, 146
Spatial distribution, *see* Topographic mapping
Spectral analysis
– during tonic REM sleep, 24
– sleep deprivation in narcoleptic subjects, 339
Sphenoidal electrode and identification of ictal activity, 333
Spike
– automated spike detection, 1
– ictal spikes and hippocampal cell loss, 104
– interictal spike detection by neural networks, 271
– state-dependent spike detection, 12
Spike-wave
– bilateral synchrony in epilepsy, 93
– interhemispheric time differences, 169, 170
– iron-induced epilepsy in rat, 281
Spindles
– event-related desynchronization, 62
– nocturnal sleep spindle ontogenesis, 289
Subclinical rhythmic electrographic discharge, 223
Supplementary motor area
– cortical negative DC shifts during motor performance, 297

Task complexity and cortical negative DC shifts, 297
Temperature effects
– cerebello-pontine angle exposure and BAEPs, 153
Temporal lobe
– cheek electrodes for identification of ictal activity, 333
– epidural EEG wave forms, 229
– ictal spikes and hippocampal cell loss, 104
Terminal decline in the ERP of the brain, 211
Thalamic hemorrhage and delayed P3, 52
Tinnitus and auditory evoked magnetic fields, 322
Topographic mapping
– EEG topography in affective disorders, 124
– event-related desynchronization, 62
– P3 in the visual and auditory modalities, 254
Trigeminal nerve
– olfactory and somatosensory system interaction, 201
– perception of chemical stimuli, 201
Tumors
– cerebello-pontine angle exposure and BAEPs, 153

Ulnar nerve SEFs in multiple sclerosis, 192

Verbal task
– ECoG and memory in amobarbital tests, 70
Visual cortex
– "alpha-like" rhythm in cat, 217
Visual stimulation
– relationships between sources from MEFs and EPs, 146

Wave form
– epidural EEG wave forms, 229
Wiener filtering
– interhemispheric response of alpha activity, 372
Word
– N400 to color patch or word, 248

Z spectra
– qEEG during tonic REM sleep, 24